

# SLB88

## PIR Bulkhead Light

### Features & Benefits

- Bulkhead style light with integral PIR detector
- Adjustable light ON times and light level control
- IP44 weatherproof rating
- Uses a standard ES bulb
- Available in black finish



### Technical Data

Operating Voltage	230V AC
Frequency	50Hz
Installation Type	Surface
Earth Class Rating	Class I
Operating Temperature	0°C to 40°C
Ingress Protection Rating	IP44
Setting Type	Dial
Approved Mounting Height (m)	1.8
Motion Detection (m)	8
Detection Angle	110°
Pan & Tilt Adjustment	30° Left/Right From Centre (PIR Only)
LED Type	Bulb Not Included
Mounting Hole Centres (mm)	138 (Diagonal)
Standby Consumption	<1W

# Data sheet

## SLB88

Light / PIR Bulkheads & Lanterns

<b>Switch rating</b>	30W LED, 500W Halogen, 100W Fluorescent
<b>ON Time Adjustment</b>	5 Seconds to 5 Minutes. User Adjustable
<b>Detection Range (M)</b>	8
<b>Permanent ON Facility</b>	No
<b>Dusk Till Dawn</b>	Yes
<b>Multiple Unit Support</b>	Yes
<b>Cable Entry(s)</b>	Back Entry, Bottom Entry

### General

<b>Weight (g)</b>	546
<b>Height (mm)</b>	253
<b>Width (mm)</b>	112
<b>Depth (mm)</b>	110
<b>Body Construction</b>	Polycarbonate
<b>Product Colour</b>	Black
<b>Accessories (Included)</b>	Fittings (Rawl Plugs, Screws)
<b>EAN Number</b>	5012483007716
<b>Guarantee Period</b>	3 Years
<b>Trade Tariff Commodity Code</b>	9405114090

## Line Diagrams

